

## **Computer-Assisted Tools Alert Pediatricians to Obese Patients**

The Associated Press

Electronic health records and embedded tools can alert and direct pediatricians so they can better manage the weight of children and teenagers, according to a new Kaiser Permanente study published online in *The Journal of Pediatrics*.

Researchers analyzed visits for nearly 740,000 children and adolescents ages 2 to 17 to evaluate the impact of computer-assisted decision tools and found that extracting information from the electronic health record substantially improves the identification and diagnosis of overweight and obesity among children and adolescents, and also facilitated exercise and nutrition counseling.

"By using electronic medical record tools we can diagnose and address obesity-related issues at a population level rather than just among a few families. These are great tools that could be implemented by physicians in a variety of clinical settings to better diagnose and manage obesity among children and adolescents," said study lead author Karen Coleman, PhD, from Kaiser Permanente's Southern California Department of Research & Evaluation.

The prevalence of obesity has increased sharply in children and adolescents in the last 30 years, with at least 18 percent of 12- to 19-year-olds now considered obese. To address this dramatic increase, the American Academy of Pediatrics Expert Committee guidelines recommended standardized approaches to the identification and treatment of overweight and obese children and adolescents as well as prevention of overweight and obesity among an at-risk population in clinical settings. To date, these guidelines have been inconsistently or poorly implemented.

For this reason the Kaiser Permanente Southern California Pediatric Weight Management Initiative was implemented in 2008 to improve adherence to these guidelines and to ensure that KPSC met the Healthcare Effectiveness Data and Information Set (commonly known as HEDIS) requirements for the measurement of pediatric height and weight and exercise and nutrition counseling for children and adolescents.

"One of the first steps in dealing with any epidemic is finding successful ways to identify the patients at risk. The pediatric obesity epidemic is no exception. Tools such as these will be a great help to the primary care pediatrician, and will allow not only earlier assessment, but can help direct the providers to the recommended testing and treatment," said study co-author Amy Porter, MD, Kaiser Permanente Southern California pediatrician.

Before the KPSC initiative, 66 percent of all children and adolescents in the study had height and weight documented in KP HealthConnect, Kaiser Permanente's

## **Computer-Assisted Tools Alert Pediatricians to Obese Patients**

Published on Medical Design Technology (<http://www.mdtmag.com>)

---

electronic health record that is the largest non-governmental medical record system in the world. Three years after the initiative was implemented, this increased to 94 percent. Among children and adolescents, diagnosis of overweight or obesity increased significantly from 12 percent in 2007 to 61 percent in 2010, and documented rates of counseling about exercise and nutrition increased significantly from 1 percent in 2007 to 50 percent in 2010.

The rate of clinically diagnosing overweight and obesity increased across all age and racial and ethnic groups. The increase was highest among overweight and obese children 2 to 5 years old (13 percent to 75 percent) and in extremely obese children and young adults across all ages (23 percent to 75 percent).

The KPSC initiative began as a result of implementing height and weight as a vital sign in the electronic health record. This made it easier for pediatricians to quickly assess whether their patients were overweight or obese. When the height and weight are entered into the EHR, BMI and BMI-for-age percentiles are calculated based on the World Health Organization and the Centers for Disease Control and Prevention criteria. Growth chart graphs in the EHR track and display this information to help physicians monitor their patient's height and weight to determine if the patient is at risk for obesity.

Few studies have reported the impact that a systemwide clinical initiative can have on improving the diagnosis and management of obesity among children and adolescents.

This study is part of the Kaiser Permanente's ongoing work to identify and treat childhood obesity through research and community programs.

Previous research studies related to childhood obesity include: - a study that found children who are overweight or obese have a significantly higher prevalence of psoriasis, and teens with psoriasis, regardless of their body weight, have higher cholesterol levels, - a study that found extremely obese children have a 40 percent higher risk of gastroesophageal reflux disease and children who are moderately obese have a 30 percent higher risk of GERD compared to normal weight children - a study that found extreme obesity is affecting more children at younger ages, with 12 percent of African American teenage girls, 11.2 percent of Hispanic teenage boys, 7.3 percent of boys and 5.5 percent of girls 2 - 19 years of age now classified as extremely obese.

Kaiser Permanente is working with HBO (Home Box Office), the Institute of Medicine, Centers for Disease Control and Prevention, National Institutes of Health and the Michael & Susan Dell Foundation to address obesity as a critical public health crisis with HBO's latest documentary series: The Weight of the Nation. The series and campaign spotlights the severity of the obesity epidemic and showcases strategies that work in order to catalyze action to end obesity.

Study authors include: Karen J. Coleman, PhD, Corinna Koebnick, PhD, and Ning Smith, PhD, from the Southern California Permanente Medical Group, Department of Research & Evaluation, Pasadena, Calif.; Ana F.

## Computer-Assisted Tools Alert Pediatricians to Obese Patients

Published on Medical Design Technology (<http://www.mdtmag.com>)

---

Alpern, MD, Brenna Bley, DO, Marianne Yousef, MD, Erin M. Shih, MD, Keila J. Trimble-Cox, MD, Amy H. Porter, MD, and Steven D. Woods, MD, MSPH, from the Department of Pediatrics, Kaiser Permanente Southern California, Los Angeles; and Anne C. Hsii, MD, from the Division of Adolescent Medicine, Stanford University School of Medicine, Stanford, Calif.

About the Kaiser Permanente Department of Research & Evaluation The Department of Research & Evaluation (R & E) conducts high-quality, innovative research into disease etiology, prevention, treatment and care delivery. Investigators conduct epidemiology, health sciences, and behavioral research as well as clinical trials. Areas of interest include diabetes and obesity, cancer, HIV/AIDS, cardiovascular disease, aging and cognition, pregnancy outcomes, women's and children's health, quality and safety, and pharmacoepidemiology.

Located in Pasadena, Calif., the department focuses on translating research to practice quickly to benefit the health and lives of Kaiser Permanente Southern California members and the general population.

Visit [www.kp.org/research](http://www.kp.org/research).

About Kaiser Permanente Kaiser Permanente is committed to helping shape the future of health care. We are recognized as one of America's leading health care providers and not-for-profit health plans. Founded in 1945, our mission is to provide high-quality, affordable health care services and to improve the health of our members and the communities we serve.

We currently serve 8.9 million members in nine states and the District of Columbia. Care for members and patients is focused on their total health and guided by their personal physicians, specialists and team of caregivers. Our expert and caring medical teams are empowered and supported by industry-leading technology advances and tools for health promotion, disease prevention, state-of-the art care delivery and world-class chronic disease management. Kaiser Permanente is dedicated to care innovations, clinical research, health education and the support of community health. For more information, go to: [www.kp.org/newscenter](http://www.kp.org/newscenter).

For more information: Sandra Hernandez-Millett, [sandra.d.hernandez-millett@kp.org](mailto:sandra.d.hernandez-millett@kp.org), 626-405-5384 Emily Schwartz, [eschwartz@golinharris.com](mailto:eschwartz@golinharris.com), 415 318 4371 SOURCE Kaiser Permanente -0- 02/21/2012 CO: Kaiser Permanente ST: California IN: HEA MTC PHA MEQ SU: CHI SVY PRN -- SF56887 -- 0000 02/21/2012 16:16:59 EDT <http://www.prnewswire.c>

**Source URL (retrieved on 04/26/2015 - 3:08am):**

<http://www.mdtmag.com/news/2012/02/computer-assisted-tools-alert-pediatricians-obese-patients>